

No.: IIITDM/DR/2010-11/237

Date: 10.05.2010

To,

Sub: Request for quotation for Furniture

Dear Sir,

We (PDPM Indian Institute of Information Technology, Design and Manufacturing Jabalpur) are interested in the purchase of following furniture “**MAKE: GODREJ**”. You are requested to submit sealed pack quotation with lowest offer on the terms & conditions given below:

Our requirement:

Sr. No.	Description of item	Quantity
1	3 pc (Main+ERU+Drawer) Executive Table, size: 5' x 3' Model: Finesse - 6030, ERU - 5219, 3 Drawer Steel Pedestal -5342	10
2	Book Rack (VSDU-8)	10
3	Steel Almirah (Plain)	12
4	Revolving High Back Chair (PCH 7001, 7003)	10
5	Visitor Chair (PCH 7001D, 7003 D)	20

General Terms and Conditions:

1. Sealed pack quotations are invited for Godrej Make furniture (ISO 9000 and 14000 certification) from authorized dealers of Godrej.
2. Show all charges clearly, no hidden cost. Price quoted should be inclusive of all applicable taxes and levies.
3. The rates should be F. O. R. PDPM-IIITDM Jabalpur, Mehgawan, Dumna Airport Road, Post: Khamaria, Jabalpur.
4. Attach all necessary documents including price list, model specification/catalogues
6. Institute reserves the right to change the quantity as per its requirement at any stage. Further the Institute reserves the right to place order either of all the items or only some of the above items. The supplier shall have no right to claim any compensation in such case.

7. The supplier is to submit **earnest money** deposit of **Rs.10,000/-** (Rupees Ten thousand only) with their sealed quotation. Quotations without earnest money deposit shall be summarily rejected.
8. The Earnest money deposit should be a FDR or demand draft in favour of Director, PDPM- IIITDM.
9. Validity of quotation should be minimum 60 days.
10. Delivery should be within 3-4 weeks from the date of receipt of firm order.
11. In case of delay in supply, penalty at the rate of 0.5% per day of the ordered value shall be charged (maximum penalty up to 7.5 % of the order value can be deducted). If the delay is more than two weeks the order shall stand cancelled and the earnest money deposit shall be forfeited.
12. Sealed quotation, mentioning “**Tender No. IIITDM/DR/2010-2011/237, due date: 18.05.2010**” at the top of the envelope, should reach on or before 12.00 Noon on 18.05.2010, to the Deputy Registrar, PDPM-IIITDM Jabalpur, Dumna Airport Road, Post: Khamaria, Jabalpur (M.P.) Pin-482005.
13. Quotations will be opened at 3.00 pm on 18.05.2010.
14. The Institute reserves the right to reject any or all bids without specifying any reasons thereof.
15. All disputes should be within the jurisdiction of Jabalpur.

You are requested to submit the sealed pack quotation with best offer for any one or more of the above mentioned items latest by May 18, 2010 at the following address:

The Deputy Registrar

PDPM Indian Institute of Information Technology,
Design & Manufacturing, Jabalpur
Dumna Airport Road
Post: Khamaria
Jabalpur - 482005

(R.P.Dwivedi)
Deputy Registrar (P&S)

ANNEXURE 'A'

1. SERVO VOLTAGE STABILIZER

Phase	: 3 Phase , 4 Wire.
Input Voltage	: 170V to 270V; 50 c/s A.C. between any Phase & Neutral Correspond to 300V to 480V Phase to Phase.
Output Voltage	: 240V \pm 1% ; 50 c/s A.C. between any Phase & Neutral correspond to 415V \pm 1% Phase to Phase.
Operating Frequency	: 47 - 63 HZ
Type	: Balanced
Control Circuit	: Separate control circuit for individual correction in each phase.
Overload Capacity	: 120% for 30 Minutes
Short Circuit Period & % Age	: 300% for 250 M.Sec
Operating Temperature	: 0 To 55 Degrees C
Response Time	: Less than 10 mille seconds
Wave Form Distortion	: Nil. Constant output voltage even with distorted input from D.G. Set
Efficiency	: More than 98%
System Construction	: Confirms to IS: 9815/94
Protection	: UnderVoltage, OverVoltage, OverLoad Protection along with O/P Side Contactor.

The stabilizer should be equipped with surge suppresser.

- (1) CAPACITY : 25 KVA – 1 No**
- (2) CAPACITY : 45 KVA – 1 No.**

FEATURES Required:

1. Mains on indication on front panel.
2. Voltmeter/ Ampere meter on front panel with Selector switch to read Input/Output Voltage and output current.
3. Auto/ Manual Facility.
4. Potentiometer on Front panel to adjust output voltage of each phase.
5. Solid State Control Circuit to Control Output Voltage individually.
6. High performance integrated circuit based, control system - No relays (Solid state circuit).
7. Stepless Voltage correction at High speed without over shoot/hunting.
8. Online serviceability with inter changeable plug-in Control Card.
9. Burn proof/Brush A.C. synchronous motor for greater reliability and longer life.
10. Single phasing prevention
11. High quality carbon brushes.
12. Inbuilt surge suppressors in the form of MOV.
13. Manufacturing Company should be ISO 9001 certified

R.P.Dwivedi
Deputy Registrar

Letter No.: IIITDM/DR/2010-11/ 55

Date: 16.04.2010

To,

Sub: Request for quotation for Air Compressor with drier.

Dear Sir,

We (PDPM Indian Institute of Information Technology, Design and Manufacturing Jabalpur) are interested in the purchase of one Air Compressor with drier. Detailed specifications are attached in the Annexure 'A'.

Following terms and conditions apply:

1. Show all charges clearly, no hidden cost.
2. Show transportation charges/delivery to PDPM-IIITDM Jabalpur, Madhya Pradesh.
3. Price quoted should be inclusive of all applicable taxes and levies. Taxes, transportations should be clearly mentioned in the quotation.
4. The rates should be F. O. R. PDPM-IIITDM-Jabalpur, Mehgawan, Dumna Airport Road, Post: Khamaria, Jabalpur.
5. Attach all necessary documents, technical literature and catalogues.
6. Institute reserves the right to change the quantity as per its requirement at any stage. Further the Institute reserves the right to place order either of all the items or only some of the above items. The supplier shall have no right to claim any compensation in such case.
7. The supplier is to submit **earnest money** deposit of **Rs 5,000/-** (Five thousand only) with their sealed quotation. Quotations without earnest money deposit shall be summarily rejected.
8. The Earnest money deposit should be a FDR or demand draft in favour of Director, PDPM- IIITDM.
9. Validity of quotation should be minimum 30 days.
10. In case of delay in supply, penalty at the rate of 0.5% per day of the ordered value shall be charged (maximum penalty up to 7.5 % of the order value can be deducted). If the delay is more than two weeks the order shall stand cancelled and the earnest money deposit shall be forfeited.
11. You will be required to submit Performance Bank Guarantee during the period of warranty
12. Sealed quotation should reach on or before 01.00 pm on 30/04/2010, to the Deputy Registrar, PDPM-IIITDM Jabalpur, Dumna Airport Road, Post: Khamaria, Jabalpur (M.P.) Pin-482005.

13. Quotations will be opened on the same day (on 30/04/2010) at 03:00 pm.
14. All disputes should be within the jurisdiction of Jabalpur.

You are requested to submit the sealed pack quotation with best offer for any one or more of the above mentioned items latest by April 30, 2010 at the following address:

The Deputy Registrar,
PDPM Indian Institute of Information Technology
Design & Manufacturing, Jabalpur
Dumna Airport Road,
Post: Khamaria
Jabalpur - 482005

Send the sealed pack quotation by post/courier. Mention the reference no IITDM/DR/2010-11/ at the top of the envelope.

. R.P.Dwivedi
Deputy Registrar

ANNEXURE 'A'

Specification for Air Compressor With Drier

Features required:

- Designed for continuous duty
- Deep finned cast iron cylinders, aluminum cooler tubes ensuring superior heat dissipation for higher operating efficiency
- Aero dynamically designed fan with large blades for higher air flow
- Efficient cooling to ensure operation at higher ambient temperatures of up to 50 deg C
- Totally enclosed belt guard for utmost safety conforming to Euro norms
- Air receiver, conforming to ASME and Euro norms
- Optimal distribution of load on cylinders for energy efficiency (Two stage models)
- Long life of motor due to no-load starting ensured by built-in unloader
- Sturdy, robust cast iron crankcase
- Forged steel crankshaft supported at both ends for higher dynamic stiffness and least vibrations
- Optimal operating speed for longer service life
- Pressure relief valve provided after each stage of compression for safety
- Convenient oil sight glass and oil drain
- Stainless steel valves for lower wear and lasting compression efficiency
- Efficient air filter to ensure clean intake air for long service life
- Low expansion aluminum alloy piston with International Standard piston rings for positive sealing at elevated temperatures
- Testing as per IS 5456 standards for guaranteed output

Specifications Required:

Piston Displacement	: 990-1050 lpm
Free Air Delivery	: 900-1000 lpm
Motor Power	: 10-15 HP or 7.5-12 KW
Compressor Speed	: 900-1200 RPM
Tank Capacity	: 420-500 Litres

Note: The above compressor should include auto drain valve also.

The compressor should be equipped with air drier as per specifications given below:

Air Drier Specifications:

Capacity	: 40 cfm
Dew Point	: +3 Degrees PDP(-20 degree ADP approximate)
Max Pressure	: 16 kg/sq.com
Electrical	: 230 Volts/50 Hz, Single Phase
Cooling Media	: Air

OZONE friendly refrigerant is required.

R.P.Dwivedi
Dy. Registrar

Letter No.: IIITDM/DR/2010-11/56

Date: 16.04.2010

To,

Sub: Request for quotation for Garnet.

Dear Sir,

We (PDPM Indian Institute of Information Technology, Design and Manufacturing Jabalpur) are interested in the purchase of Garnet for Abrasive Water Jet Machine (Make: Omax). Detailed specifications are attached in the Annexure 'A'.

Following terms and conditions apply:

1. Show all charges clearly, no hidden cost.
2. Show transportation charges/delivery to PDPM-IIITDM Jabalpur, Madhya Pradesh.
3. Price quoted should be inclusive of all applicable taxes and levies. Taxes, transportations should be clearly mentioned in the quotation.
4. The rates should be F. O. R. PDPM-IIITDM-Jabalpur, Mehgawan, Dumna Airport Road, Post: Khamaria, Jabalpur.
5. Attach all necessary documents, technical literature and catalogues.
6. **The supplier is required to submit a sample of ½ Kg Garnet along with their quotation.**
7. Institute reserves the right to change the quantity as per its requirement at any stage. Further the Institute reserves the right to place order either of all the items or only some of the above items. The supplier shall have no right to claim any compensation in such case.
8. Validity of quotation should be minimum 30 days.
9. In case of delay in supply, penalty at the rate of 0.5% per day of the ordered value shall be charged (maximum penalty up to 7.5 % of the order value can be deducted). If the delay is more than two weeks the order shall stand cancelled and the earnest money deposit shall be forfeited.
10. Sealed quotation should reach on or before 01.00 pm on 30/04/2010, to the Deputy Registrar, PDPM-IIITDM Jabalpur, Dumna Airport Road, Post: Khamaria, Jabalpur (M.P.) Pin-482005.
11. Quotations will be opened on the same day (on 30/04/2010) at 03:00 pm.
12. All disputes should be within the jurisdiction of Jabalpur.

You are requested to submit the sealed pack quotation with best offer for any one or more of the above mentioned items latest by April 30, 2010 at the following address:

The Deputy Registrar,
PDPM Indian Institute of Information Technology
Design & Manufacturing, Jabalpur
Dumna Airport Road,
Post: Khamaria
Jabalpur - 482005

Send the sealed pack quotation by post/courier. Mention the reference no IITDM/DR/2010-11/ at the top of the envelope.

R.P.Dwivedi
Deputy Registrar

ANNEXURE 'A'

Garnet for Abrasive Water Jet Machine

- 1. Mesh 80 (3 Ton)**
- 2. Mesh 120 (3 Ton)**

The Garnet should satisfy following specifications:

Garnet % by weight > 98%

Specific Gravity : 4 g/cc

Hardness >7 moh scale

Composition Specifications

	Mesh 80	Mesh 120
SiO ₂	35%	38%
Al ₂ O ₃	21%	19%
Fe ₂ O ₃	31%	35%
MgO	7%	8%
CaO	1.25%	1.5%
TiO ₂	2.94%	4.4%

Sieve Specifications required:

Mesh	Size (MM)	Mesh 80 (Retained %)	Mesh 120 (Retained %)
60	0.250	48.00	1.53
80	0.180	44.00	51.87
120	0.125	3.80	39.54
140	0.106	-	4.35
170	0.090	-	2.71

R.P.Dwivedi
Deputy Registrar

