PDPM IIITDM JABALPUR

Schedule of Quantities

Name of work: Supply of sanitary & water supply fittings for day to day maintenance of civil work.

SI. No. Description Unit Qty. (In figure & words) 1 Supply of PVC low level flushing cistern with manually controlled device (handle lever), with all fittings and fixture complete. 2 Supply of P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 2a Flexible pipe 2a.1 32mm dia Each 20 3 Supply of toilet paper holder. a C.P. brass Each 10 4 Supply of C.P Brass short body bib cock of approved quality. a 15 mm nominal bore Each 20 5 Supply of C.P. Brass long body bib cock of approved quality. a 15 mm nominal bore Each 20 6 Supply of C.P. Brass angle valve for basin mixer. a 15 mm nominal bore Each 20 8 Supply of C.P. brass stop cock (concealed) of standard design and of approved make. a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions.			的。 10.10.10.10.10.10.10.10.10.10.10.10.10.1	1 = 11 =		Rate	Amount
cistern with manually controlled device (handle lever), with all fittings and fixture complete. 2 Supply of P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 2a Flexible pipe 2a.1 32mm dia Each 20 3 Supply of toilet paper holder. a C.P. brass Each 10 4 Supply of C.P Brass short body bib cock of approved quality. a 15 mm nominal bore Each 20 5 Supply of .C.P Brass long body bib cock of approved quality. a 15 mm nominal bore Each 20 6 Supply of C.P. Brass angle valve for basin mixer. a 15 mm nominal bore Each 10 7 Supply of C.P. brass stop cock (concealed) of standard design and of approved make. a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore		SI. No.	Description	Unit	Qty.	(In figure & words)	(In figure & words)
device (handle lever), with all fittings and fixture complete. Each 5 2 Supply of P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 2a Flexible pipe 2a.1 32mm dia Each 20 3 Supply of toilet paper holder. a C.P. brass Each 10 4 Supply of C.P Brass short body bib cock of approved quality. a 15 mm nominal bore Each 20 5 Supply of C.P Brass long body bib cock of approved quality. a 15 mm nominal bore Each 20 6 Supply of C.P. Brass angle valve for basin mixer. a 15 mm nominal bore Each 10 7 Supply of C.P. brass stop cock (concealed) of standard design and of approved make. a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore	ľ	1	Supply of PVC low level flushing				
fittings and fixture complete. 2 Supply of P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 2a Flexible pipe 2a.1 32mm dia Each 20 3 Supply of toilet paper holder. a C.P. brass Each 10 4 Supply of C.P Brass short body bib cock of approved quality. a 15 mm nominal bore Each 20 5 Supply of .C.P Brass long body bib cock of approved quality. a 15 mm nominal bore Each 20 6 Supply of C.P. Brass angle valve for basin mixer. a 15 mm nominal bore Each 10 7 Supply of C.P. brass stop cock (concealed) of standard design and of approved make . a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore	-		cistern with manually controlled				
Each 5 2 Supply of P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 2a Flexible pipe 2a.1 32mm dia Each 20 3 Supply of toilet paper holder. a C.P. brass Each 10 4 Supply of C.P Brass short body bib cock of approved quality. a 15 mm nominal bore Each 20 5 Supply of .C.P Brass long body bib cock of approved quality. a 15 mm nominal bore Each 20 6 Supply of C.P. Brass angle valve for basin mixer. a 15 mm nominal bore Each 10 7 Supply of C.P. brass stop cock (concealed) of standard design and of approved make . a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore	-		device (handle lever), with all				
2 Supply of P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 2a Flexible pipe 2a.1 32mm dia Each 20 3 Supply of toilet paper holder. a C.P. brass Each 10 4 Supply of C.P Brass short body bib cock of approved quality. a 15 mm nominal bore Each 20 5 Supply of C.P Brass long body bib cock of approved quality. a 15 mm nominal bore Each 20 6 Supply of C.P. Brass angle valve for basin mixer. a 15 mm nominal bore Each 10 7 Supply of C.P. brass stop cock (concealed) of standard design and of approved make. a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore	1		fittings and fixture complete.				
or wash basin including P.V.C. waste fittings complete. 2a Flexible pipe 2a.1 32mm dia Each 20 3 Supply of toilet paper holder. a C.P. brass Each 10 4 Supply of C.P Brass short body bib cock of approved quality. a 15 mm nominal bore Each 20 5 Supply of C.P Brass long body bib cock of approved quality. a 15 mm nominal bore Each 20 6 Supply of C.P. Brass angle valve for basin mixer. a 15 mm nominal bore Each 10 7 Supply of C.P. brass stop cock (concealed) of standard design and of approved make. a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore					5		
waste fittings complete. 2a Flexible pipe 2a.1 32mm dia Each 20 3 Supply of toilet paper holder. a C.P. brass Each 10 4 Supply of C.P Brass short body bib cock of approved quality. a 15 mm nominal bore Each 20 5 Supply of .C.P Brass long body bib cock of approved quality. a 15 mm nominal bore Each 20 6 Supply of C.P. Brass angle valve for basin mixer. a 15 mm nominal bore Each 10 7 Supply of C.P. brass stop cock (concealed) of standard design and of approved make. a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore	١	2					
2a Flexible pipe 2a.1 32mm dia Each 20 3 Supply of toilet paper holder. a C.P. brass Each 10 4 Supply of C.P Brass short body bib cock of approved quality. a 15 mm nominal bore Each 20 5 Supply of C.P. Brass long body bib cock of approved quality. a 15 mm nominal bore Each 20 6 Supply of C.P. Brass angle valve for basin mixer. a 15 mm nominal bore Each 10 7 Supply of C.P. brass stop cock (concealed) of standard design and of approved make. a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore	١						
2a.1 32mm dia Each 20 3 Supply of toilet paper holder. a C.P. brass Each 10 4 Supply of C.P Brass short body bib cock of approved quality. a 15 mm nominal bore Each 20 5 Supply of C.P Brass long body bib cock of approved quality. a 15 mm nominal bore Each 20 6 Supply of C.P. Brass angle valve for basin mixer. a 15 mm nominal bore Each 10 7 Supply of C.P. brass stop cock (concealed) of standard design and of approved make. a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore							
Each 20 3 Supply of toilet paper holder. a C.P. brass Each 10 4 Supply of C.P Brass short body bib cock of approved quality. a 15 mm nominal bore Each 20 5 Supply of C.P Brass long body bib cock of approved quality. a 15 mm nominal bore Each 20 6 Supply of C.P. Brass angle valve for basin mixer. a 15 mm nominal bore Each 10 7 Supply of C.P. brass stop cock (concealed) of standard design and of approved make. a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore							
3 Supply of toilet paper holder. a C.P. brass Each 10 4 Supply of C.P Brass short body bib cock of approved quality. a 15 mm nominal bore Each 20 5 Supply of .C.P Brass long body bib cock of approved quality. a 15 mm nominal bore Each 20 6 Supply of C.P. Brass angle valve for basin mixer. a 15 mm nominal bore Each 10 7 Supply of C.P. brass stop cock (concealed) of standard design and of approved make. a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore	-1	2a.1	32mm dia	700	- AA 100		
a C.P. brass Each 10 4 Supply of C.P Brass short body bib cock of approved quality. a 15 mm nominal bore Each 20 5 Supply of C.P Brass long body bib cock of approved quality. a 15 mm nominal bore Each 20 6 Supply of C.P. Brass angle valve for basin mixer. a 15 mm nominal bore Each 10 7 Supply of C.P. brass stop cock (concealed) of standard design and of approved make. a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore	-			Each	20		
Each 10 4 Supply of C.P Brass short body bib cock of approved quality. a 15 mm nominal bore Each 20 5 Supply of .C.P Brass long body bib cock of approved quality. a 15 mm nominal bore Each 20 6 Supply of C.P. Brass angle valve for basin mixer. a 15 mm nominal bore Each 10 7 Supply of C.P. brass stop cock (concealed) of standard design and of approved make. a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length	1	3					
4 Supply of C.P Brass short body bib cock of approved quality. a 15 mm nominal bore Each 20 5 Supply of .C.P Brass long body bib cock of approved quality. a 15 mm nominal bore Each 20 6 Supply of C.P. Brass angle valve for basin mixer. a 15 mm nominal bore Each 10 7 Supply of C.P. brass stop cock (concealed) of standard design and of approved make. a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore	1	а	C.P. brass				
cock of approved quality . a 15 mm nominal bore Each 20 5 Supply of .C.P Brass long body bib cock of approved quality . a 15 mm nominal bore Each 20 6 Supply of C.P. Brass angle valve for basin mixer . a 15 mm nominal bore Each 10 7 Supply of C.P. brass stop cock (concealed) of standard design and of approved make . a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore	1			Each	10		
a 15 mm nominal bore Each 20 5 Supply of .C.P Brass long body bib cock of approved quality. a 15 mm nominal bore Each 20 6 Supply of C.P. Brass angle valve for basin mixer. a 15 mm nominal bore Each 10 7 Supply of C.P. brass stop cock (concealed) of standard design and of approved make . a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore	1	4					
Each 20 5 Supply of .C.P Brass long body bib cock of approved quality. a 15 mm nominal bore Each 20 6 Supply of C.P. Brass angle valve for basin mixer. a 15 mm nominal bore Each 10 7 Supply of C.P. brass stop cock (concealed) of standard design and of approved make. a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore	ŀ						
cock of approved quality . a 15 mm nominal bore Each 20 6 Supply of C.P. Brass angle valve for basin mixer . a 15 mm nominal bore Each 10 7 Supply of C.P. brass stop cock (concealed) of standard design and of approved make . a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore		а	15 mm nominal bore	Each	20		G
a 15 mm nominal bore Each 20 6 Supply of C.P. Brass angle valve for basin mixer. a 15 mm nominal bore Each 10 7 Supply of C.P. brass stop cock (concealed) of standard design and of approved make. a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore	T	5		4			
Each 20 6 Supply of C.P. Brass angle valve for basin mixer. a 15 mm nominal bore Each 10 7 Supply of C.P. brass stop cock (concealed) of standard design and of approved make. a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore	L						
6 Supply of C.P. Brass angle valve for basin mixer. a 15 mm nominal bore Each 10 7 Supply of C.P. brass stop cock (concealed) of standard design and of approved make. a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore	1	а	15 mm nominal bore				
basin mixer. a 15 mm nominal bore Each 10 7 Supply of C.P. brass stop cock (concealed) of standard design and of approved make. a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore	-			Each	20		
a 15 mm nominal bore Each 10 7 Supply of C.P. brass stop cock (concealed) of standard design and of approved make . a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore	1	6					
Fach 10 7 Supply of C.P. brass stop cock (-						
7 Supply of C.P. brass stop cock (concealed) of standard design and of approved make . a 15 mm nominal bore Each 5 8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore	1	a	15 mm nominal bore	п. 1	4.0		
concealed) of standard design and of approved make . a 15 mm nominal bore Each 5 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore	Н	-	C. I. C.C.D. I.	Each	10		
of approved make . a 15 mm nominal bore Each 5 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore	1	/				-	
a 15 mm nominal bore Each 5 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore	1		The state of the s				
8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore	ŀ	2					
8 Supply of unplasticised PVC connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore		а		Each	5		
connection pipe with brass unions. 8a 45cm length 8a.1 15mm dia. Nominal bore	-	8		Lucii	3		
8a 45cm length 8a.1 15mm dia. Nominal bore	1						
8a.1 15mm dia. Nominal bore			F-F State amone.				
8a.1 15mm dia. Nominal bore	r	8a	45cm length				
30-40 C. 10 10 10 10 10 10 10 10 10 10 10 10 10							
Each ZU			A	Each	20	-	

SI. No.	Description	Unit	Qty.	Rate (In figure & words)	Amount (In figure & words)
9	Supply of C.P. brass waste coupling				
	of 32mm dia. Complete.	Each	10		
10	Supply of C.P. Brass pillar cock for				
	basin mixer.	-			
а	15 mm nominal bore				
	*	Each	20		
11	Supply of S.S liquid soap container				
-	109mm wide ,125mm height and				
	112mm distance from wall of				
	standard shape with bracket of the				
	same materials with snape fittings:				
		Each	10		
12	Supply of S.S. towel rail omplete				
	with bracket:				
a	600mm long towel rail.				
		Each	10		
13	Supply of steel grating of 100mm				
	dia.:	Each	10		
14	Supply of C.P. brass health faucet		1 20/220		
	with hose and hooks Complete.	Each	10		
15	Supply of PVC cistern handle.			1	
		Each	20		
16	Supply of PVC cistern ball cock.		0.0		
	a l spira i	Each	20		
17	Supply of PVC cistern syphone.	n 1			
40	0 1 COD 1 1 COT 11	Each	20		
18	Supply of CP nipple of 25mm dia.	г.,	20		
10		Each	20		
19	Supply of CP nipple of 40mm dia.	г	20		
20		Each	20		
20	Supply of waste coupling of 32mm	F1	20		
1	dia.	Each	20		
	Total				2

PDPM IIITDM Jabalpur

List of approved makes for Sanitary Fittings

Name of work: Supply of sanitary & water supply fittings for day to day maintenance of civil work.

SI. No.	Material	Brand Name
	C.P. Fittings (angle cock, pillar cock, bib cock,	Jaguar / Hindware / Parryware / Corsa (PSCE), Seep,
1	stop cock etc.)	B&T (Avon), Jal, Oyster
2		Parryware / Hindware / Cera / Bell
3	Health Faucet	Jaguar / Hindware / Parryware / Seep / Mahindra / Corsa / B&T