Schedule of Quantity

Name of work: Provision of Aluminium partition of RSPC area behind central

dispatch office Admin building IIITDMJ.

	dispatch office Admin building in 1 DMJ.					
Sl. No.	Description of items	Unit	Quantity	Rate	Amount	
	WOOD AND P. V. C. WORK					
1	Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS: 3564, embossed on the body, door weight upto 35 kg and door width upto 700 mm), with necessary accessories					
	and screws etc. complete.	each	3	1124.85	3374.55	
2	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete:					
(a)	300x16 mm	each	2	303.25	606.50	
3	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:					
(a)	250x10 mm	each	5	115.15	575.75	
4	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:					
(a)	125 mm	each	6	66.25	397.50	
5	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete.					
(a)	Twin rubber stopper	each	3	72.35	217.05	
	ALUMINIUM WORK					

Sl. No.	Description of items	Unit	Quantity	Rate	Amount
6	Providing and fixing aluminium work for				
	doors, windows, ventilators and				
	partitions with extruded built up				
	standard tubular sections/ appropriate Z				
	sections and other sections of approved				
	make conforming to IS: 733 and IS: 1285,				
	fixing with dash fasteners of required dia				
	and size, including necessary filling up				
	the gaps at junctions, i.e. at top, bottom				
	and sides with required EPDM rubber/				
	neoprene gasket etc. Aluminium sections				
	shall be smooth, rust free, straight,				
	mitred and jointed mechanically				
	wherever required including cleat angle,				
	Aluminium snap beading for glazing /				
	paneling, C.P. brass / stainless steel				
	screws, all complete as per architectural				
	drawings and the directions of Engineer-				
	in-charge. (Glazing, paneling and dash				
	fasteners to be paid for separately):				
(a)	For fixed portion				
(a.1)	Anodised aluminium (anodised				
	transparent or dyed to required shade				
	according to IS: 1868, Minimum anodic				
	coating of grade AC 15)	kg	175	495.05	86633.75
(b)	For shutters of doors, windows &				
	ventilators including providing and				
	fixing hinges/ pivots and making				
	provision for fixing of fittings wherever				
	required including the cost of EPDM				
	rubber / neoprene gasket required				
	(Fittings shall be paid for separately)				
(b.1)	Anodised aluminium (anodised				
	transparent or dyed to required shade				
	according to IS: 1868, Minimum anodic				
	coating of grade AC 15)	kg	25	598.60	14965.00
7	Providing and fixing 12 mm thick				
	prelaminated particle board flat pressed				
	three layer or graded wood particle				
	board conforming to IS: 12823 Grade l				
	Type II, in panelling fixed in aluminum				
	doors, windows shutters and partition				
	frames with C.P. brass / stainless steel				
	screws etc. complete as per architectural				
	drawings and directions of engineer-in-				
	charge.				

Sl. No.	Description of items	Unit	Quantity	Rate	Amount
(a)	Pre-laminated particle board with decorative lamination on both sides of make Ecoboard/Actiontesa/duro/Century Ply		20	1115.40	22308.00
8	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item):		20	1113.40	22308.00
(a)	With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm) of make Modiguard/Saint-Gobain/Asahi		25	1505.25	37631.25
9	Providing and fixing Brass 100mm mortice latch and lock with 6 levers without pair of handles (best make of approved quality) for aluminium doors including necessary cutting and making				
	good etc. complete.	each	2	528.85	1057.70
	Grand Total Amount				167767.05
	Say				167800.00

Quoted Rates:% above / below estimated cost (To be quoted by the contractor)

(Signature of contractor)